

# RENAL

## Support for chronic renal insufficiency (CRI)

Has your beloved dog been diagnosed with chronic renal insufficiency (CRI)? You can support him with a special feed: Our Josera Help Renal is tailored exactly to this case.

The gluten-free complete dietary feed helps to relieve the kidneys in particular thanks to its protein and phosphorus reduction. B vitamins, which are increasingly lost due to the disease, are also supplied by the crunchy kibbles. This is a delicious way to fill the increased nutritional needs. The nettle contained in the phytogenic complex is traditionally used for flushing therapy of the draining urinary tract and is valued for its anti-inflammatory properties.

In this way, Josera Help Renal can help to slow down the process of kidney disease, increase the dog's well-being and maintain the quality of life as good as possible. The diseased kidney is relieved with this dietary therapy.

- Metabolising organs, especially the kidneys, are relieved by the low-protein and low-phosphorus recipe
- Rich in B vitamins, which can be increasingly lost with kidney disease
- Phytogen complex: Nettle promotes excretion via the urinary tract.
- Salmon oil provides omega-3 fatty acids, which are anti-inflammatory and play an important role in the immune system



Analytical constituents:		
protein	%	16.5
fat content	%	18.0
crude fibre	%	2.3
crude ash	%	4.4
calcium	%	0.80
phosphorus	%	0.45
sodium	%	0.25
magnesium	%	0.09
potassium	%	0.50
taurine	mg	1,000
metabolisable energy per kg	MJ	16.8
metabolisable energy per kg	kcal	4,005

Additives: Nutritional additives per kg:		
vitamin A	I.E./kg	24,000
vitamin D3	I.E./kg	1,800
vitamin E	mg/kg	400
vitamin C (ascorbyl monophosphate calcium sodium salt)	mg/kg	200
vitamin B1	mg/kg	15
vitamin B2	mg/kg	20
vitamin B6	mg/kg	20
vitamin B12	mcg/kg	100

Additives: Nutritional additives per kg:		
calcium-D-pantothenate	mg/kg	50
niacin	mg/kg	90
folic acid	mg/kg	5
biotin	mcg/kg	1,000
iron (iron(II) sulphate monohydrate)	mg/kg	220
zinc (zinc chelate of glycine, hydrate (solid))	mg/kg	180
manganese (manganese (II) oxide)	mg/kg	20
copper (copper(II) chelate of glycine hydrate (solid))	mg/kg	18
iodine (calcium iodate, anhydrous)	mg/kg	2.20
selenium (sodium selenite)	mg/kg	0.30

Technological additives:	
Antioxidants: tocopherol extracts of natural origin.	


**Dietary complete feed for adult dogs to support kidney function in the case of chronic renal insufficiency.**

**Composition:** rice; maize; poultry fat; dried poultry protein; dried beet pulp (natural source of dietary fibre); hydrolysed poultry protein; minerals; hydrolysed vegetable protein; salmon oil; yeast; ground chicory root (natural source of inulin); oregano; ginger; rosemary; nettle; milk thistle; cranberry



### Nettle

Nettle is traditionally used for flushing therapy of the draining urinary tract. Due to its positive properties, it has been known since ancient times. In phytotherapy, it is also said to have anti-inflammatory properties.



### Reduced protein and phosphorus content

The low protein and phosphorus content of the selected ingredients can relieve the metabolising organs, especially the kidneys. This can support the dog's kidney function and prevent kidney overload.



### Salmon oil and B vitamins for the kidney patient

Salmon oil provides omega-3 fatty acids, which are anti-inflammatory and play an important role in the immune system. Animals with kidney disease cannot absorb enough vitamins, so a rich supplement is important: the B vitamins contained complement each other in a variety of vital processes in the body, such as energy metabolism, blood formation and nerve function.

#### Feeding recommendation:

Weight	inactive / older	normal active	active
5 kg	70 g	80 g	90 g
10 kg	110 g	135 g	155 g
20 kg	190 g	225 g	260 g
30 kg	255 g	305 g	350 g
40 kg	320 g	380 g	440 g
60 kg	430 g	510 g	590 g
80 kg	535 g	635 g	735 g

The recommended feed quantities are given per animal per day.

Ensure that your pet always has access to fresh drinking water.

For optimal effect, only feed the diet feed. Additional feedings must be discussed with the attending veterinarian in advance.

For chronic renal insufficiency: Recommended feeding duration initially up to 6 months. It is recommended that a veterinarian's opinion be sought before use or before extending the period of use. Protein sources: Poultry.